

5-2014

Mental Health in the African American Community and the Impact of Historical Trauma: Systematic Barriers

Jamie Rose Hackett
St. Catherine University

Recommended Citation

Hackett, Jamie Rose, "Mental Health in the African American Community and the Impact of Historical Trauma: Systematic Barriers" (2014). *Master of Social Work Clinical Research Papers*. Paper 320.
http://sophia.stkate.edu/msw_papers/320

This Clinical research paper is brought to you for free and open access by the School of Social Work at SOPHIA. It has been accepted for inclusion in Master of Social Work Clinical Research Papers by an authorized administrator of SOPHIA. For more information, please contact ejasch@stkate.edu.

Mental Health in the African American Community and the Impact of
Historical Trauma: Systematic Barriers

by

Jamie Rose Hackett, B.S.W.

MSW Clinical Research Paper

Presented to the Faculty of the
School of Social Work
St. Catherine University and the University of St. Thomas
St. Paul, Minnesota
in Partial fulfillment of the Requirements for the Degree of

Master of Social Work

Committee Members:
Lisa Kiesel, Ph.D., (Chair)
Stephanie Spandl, LICSW
Cincere Burns, Community Member

The clinical research project is a graduation requirement for MSW students at St. Catherine University/University of St. Thomas School of Social Work in St. Paul, Minnesota and is conducted within a nine-month time frame to demonstrate facility with basic social research methods. Students must independently conceptualize a research problem, formulate a research design that is approved by the research committee and the university Institutional Review Board, implement the project, and publicly present findings of the study. This project is neither a Master's thesis nor a dissertation.

TABLE OF CONTENTS

ACKNOWLEDGEMENTS.....	iii
ABSTRACT.....	iv
SECTION I.....	1
Introduction.....	1
Research Questions.....	2
Literature Review.....	3
Literature Review Summary.....	14
SECTION II.....	14
Conceptual Framework.....	14
Methodology.....	17
SECTION III.....	19
Findings.....	19
Discussion.....	32
Strengths and Limitations.....	33
Implications for Social Work Practice.....	34
Conclusion.....	37
SECTION IV.....	39
Appendix A.....	39
Appendix B.....	40
Appendix C Part 1.....	43
Appendix C Part 2.....	44
References.....	45

ACKNOWLEDGEMENTS

I would like to extend my sincerest gratitude to my family and friends that supported me along my journey. This accomplishment is dedicated to the memory of my parents, who provided me with the foundation that has enabled me to realize my potential and shaped the person that I have become. It is for them that I have life, spirit, and resiliency. To you, I give my sincerest thanks. RIP mom and dad.

I also extend my gratitude to the participants in my study. Your openness, honesty, and passion proved invaluable and without you, this study would have not been possible.

I would also like to thank my research committee for their support in completing this project.

Sankofa- “We must return and claim our past in order to move toward the future. It is in understanding who we were that will free us to embrace who we are now”-
(Bankole,2009)

ABSTRACT

African Americans are overrepresented in high-risk populations and are known to experience disadvantages in mental health services. In an effort to better understand the barriers that prevent African Americans from receiving adequate mental health services; this study explores barriers on multiple system levels and the implications for clinical practice. This study also explores the relevance and impact of historical trauma. Qualitative interviews were used to collect the experiences of African American clinicians in the mental health field working with African American clients. Findings revealed twelve themes that are consistent with previous research. These themes are; historical trauma, stigma, cultural stereotypes, cultural mistrust, informal support, lack of African American professionals, cultural competency, issues in assessment, misdiagnosis, cultural paranoia, treatment, and economic inequality. These themes show the systematic issues that prevent African Americans from seeking and receiving adequate mental health services. Implications for clinical practice and opportunities for change are discussed.

Section 1

Introduction

There are systematic barriers in society that disproportionately impact mental health in the African American community. Although, African Americans only constitute 12% of the United States population (Baker & Bell, 1999), they are overrepresented in high-risk populations including mental health. According to Ellis and Carlson (2009), African Americans constitute 40% of the homeless population, 50% of prisoners, and 45% of children in the foster care system. These studies show that exposure to violence, incarceration, and involvement in the foster care system can increase the chances of development of mental illness. Consequently, African Americans in particular are at a disadvantage in mental health due to historical, economic, social, political, environmental, and psychological factors (Fralich-Lesarre, 2012).

The research shows that these disparities are not a new phenomenon and have been present for many years. From a historical lens, African Americans have been at a disadvantage in mental health through subjection to trauma through slavery, oppression, colonialism, racism, and segregation (Poussaint & Alexander, 2000). Today, the overrepresentation in high-risk populations demonstrates the prevalence of the same challenges.

Based on research, 7.5 million African Americans in America have been diagnosed with a mental illness (Ward et al, 2009). According to Barnes (2008), African Americans are five times more likely than European Americans to be diagnosed with schizophrenia. Studies also show that only 16% of African Americans diagnosed with a mental illness will receive mental health treatment and most will not receive treatment

appropriate to their needs (Scnittker, 2003). Research has identified that the over-diagnosis of schizophrenia and underutilization of appropriate treatment is complicated by misdiagnoses, trauma, and racism (Miller, 2010). Furthermore, researchers have also found that the lack of cultural competence, cultural mistrust, and stigma negatively impact mental health and mental health services in the African American community.

As noted, there are multi-faceted systematic barriers that negatively impact the treatment of mental health distress in the African American community. It has been demonstrated that each barrier needs to be addressed at every system level to create change and be effective. Understanding the etiology and diagnosis of mental health in the African American community is essential to addressing the over-diagnosis of schizophrenia and underutilization of treatment.

Research Question

The purpose of this study is to explore the impact of historical trauma and barriers that African Americans experience in assessment, treatment and diagnosis in mental health. This research study is based on previous research that explores mental health in the African American community. This study will utilize the ecological systems and historical trauma theories to explore barriers that African Americans experience in mental health assessment, diagnosis, and treatment. It also explores the relevance of historical trauma and opportunities for addressing the implications for clinical practice and improving mental health services in the African American community.

This study will address the questions: How does historical trauma impact mental health in the African American community? What are the barriers that African Americans experience in assessment, diagnosis, and treatment in mental health services? What are

the ways that mental health services can be improved for the African American community?

Literature Review

African American. The African American community in the United States is very diverse. For this study, African Americans are identified as lineages of those who were brought from West Africa as a part of the slave trade or worked as indentured servants before the development of chattel slavery (Baker & Bell, 1999). According to the 2010 US Census, there are currently 38.9 million people that identify as African American in the United States.

Barriers. The barriers that impact mental health in the African American community are complex and deeply rooted in historical adversity. For this study, barriers will be defined as issues that enhance risks for mental health concerns and result in the overuse of public resources and health care services (Knapp et al., 2006). Previous studies have identified 12 main barriers for mental health in the African American community: historical trauma, stigma, cultural stereotypes, cultural mistrust, informal support, lack of African American professionals, lack of cultural competency, issues in assessment, misdiagnosis, cultural paranoia, treatment, and economic inequality. The barriers in this study will be identified on the micro, mezzo, and macro system levels.

Macro-Level Barriers

Historical Trauma. In order to better understand mental health in the African American community, an overview of historical trauma will be explored. Historical trauma is defined as “multigenerational trauma experienced by a specific cultural group” (SAMHSA, n.d. p.1). Multigenerational trauma is further defined as “psychological and

emotional consequences of the trauma experience that are transmitted to subsequent generations through physiological, environmental, and social pathways resulting in an intergenerational cycle of trauma response” (Sotero, 2006, p.95). There is a lack of research available that explores historical trauma in the African American community as most literature focuses on the historical trauma of Native Americans and the Jewish populations. However, it is also important to promote an understanding of the impact of cultural cleansing and forced assimilation to which African Americans were subjected (Williams-Washington, 2009).

As noted, African Americans were subjected to historical trauma through slavery, oppression, colonialism, racism, and segregation. The African slave trade also known as the black holocaust is the root of historical trauma as it represented chaos, violence, and cruelty that occurred over 430 years (DeGruy-Leary, 2005). During transit in 1619 to North America the slaves endured inhuman conditions. They were kept in the bowels of the ship where they “slept, wept, ate, defecated, urinated, menstruated, vomited, gave birth, and died” (DeGruy-Leary, 2005, p.75). According to DeGruy-Leary (2005), it has been estimated that the millions of Africans that died during the Middle Passage exceeded the number of those killed in the Jewish holocaust. Research shows that “in contrast with most immigrants in United States who enter this country by choice, the legacy of African Americans includes capture and forced migration” (Hall, 2008, p.23).

Scientific Racism. Researchers have also found historical trauma within the system through scientific racism. Scientific Racism is defined as “the use of purportedly scientific techniques and hypotheses to support or justify the belief in racism, racial inferiority, or racial superiority, or alternatively the practice of classifying individuals of

different phenotypes into discrete races” (Encyclopedia of Race and Racism, 2013, p.445). Like misdiagnosis that impacts the African American community today, scientific racism is not a new phenomenon. Scientific racism has impacted the mental health of the African American community for generations and has yet to be addressed. Early psychiatrists and medical professionals engaged in misdiagnosis and scientific racism by exploiting African Americans through identifying specific illnesses with flawed information. Some illnesses were used to propose that African Americans were psychologically inferior to other races (Poussaint & Alexander, 2000).

According to Benjamin Rush, the father of American Psychology, African Americans suffered from Negritude; a mild form of leprosy. Rush identified that the only cure for the disorder was to become white. In addition to Rush, in 1851, Dr. Sam Cartwright founded “Drapetomia”, a disease of the mind that made African American slaves want to run away from their slave owners (Poussaint & Alexander, 2000). Cartwright identified the only cure for this disease was for slave owners to beat the slaves. Cartwright believed that African Americans needed to be treated like children and kept in a submissive state in order to live a productive life.

Moreover, in 1968 two psychiatrists from New York identified Protest Psychosis, a condition in which the Black Power Movement drove “Negro men” into insanity. It was believed that black “liberation literally caused delusions, hallucinations, and violent projections in black men” (Metzl, 2009, p. 100). Protest Psychosis would later be identified as schizophrenia. As noted, today, African American men are five times more likely to be diagnosed with schizophrenia than any other race (Barnes, 2008).

In addition to the phenomenon of Protest Psychosis, science and psychology also demonstrated a misuse of power and exploited African Americans through several medical experiments. In the mid 1800's, J. Marion Sims was a physician who conducted surgical experiments on un-anesthetized female African slaves and black infants (DeGruy-Leary, 2005). The women and infants were used for medical research and often died from Sims' experiments.

Furthermore, from 1932-1972, the Tuskegee Experiment was performed by the US Public Health Service to study the progression of untreated syphilis in African American men. The United States made the men believe that they were receiving free healthcare when in reality they were being tested on like lab rats. According to DeGruy-Leary (2005), most of the men in the experiment died from syphilis or passed it on to their wives and unborn children.

Historical trauma in particular, has shaped and negatively impacted the overall health in the African American community. According to Wilkins et al (2013), historical trauma has created lingering psychological and emotional injuries in the African American community. Events like J. Marion Sims surgical experiments and the Tuskegee Experiment were "hypothesized as contributing to many African Americans negative attitudes about seeking healthcare services" (Ward et al, 2009, p.2).

Micro System Barriers

In addition to historical trauma, there are also other multi-level barriers that present issues for African Americans in assessment, diagnosis, and treatment. Micro level system barriers have been identified in research through stigma, cultural stereotypes, cultural mistrust, and informal supports/spirituality.

Stigma. Ward et al (2009), identified stigma as the most significant barrier to African Americans in seeking mental health support because it is a system and individual level barrier. “Stigmas are cues that elicit stereotypes about a particular social group and manifest in people’s attitudes” (Ward et al, 2009, p.2). According to research, African Americans tend to have more shameful attitudes towards individuals with mental illness compared to whites (Ward et al, 2009; Poussaint & Alexander, 2000). Within African American culture, admitting one has mental illness is sometimes viewed as a personal weakness or lack of faith (Ward et al 2009; Boyd-Franklin, 2003). This perceived stigma often deters African Americans from discussing their mental health concerns with family and professionals. Consequently, stigma reduces African Americans willingness to seek formal mental health services and support when needed.

Cultural Stereotypes/Misconceptions. Stigma in the African American culture stems even further to cultural stereotypes. A cultural stereotype is recognized as a generalized belief about a particular cultural group. For example, it is common for some African Americans to deny emotional problems to ensure they present as strong. According to Poussaint and Alexander (2000), African Americans often fear the sign of weakness and will not acknowledge or display feelings of distress. This concept is further identified in the idea of the ‘strong black woman’. According to Okeke (2013), “the image of the strong Black woman conveys that Black women have built-in capacities to deal with all manner of hardship without breaking down, physically or mentally” (p.9). Consequently, African Americans will often mask their symptoms and avoid seeking needed treatment and support.

Cultural Mistrust In addition to cultural stereotypes, cultural mistrust has also been identified as a barrier and implication for clinical practice. According to Ward et al., (2009), cultural mistrust is widely connected to the stigma of mental illness in the African American community. Cultural mistrust is identified as distrust of whites in result of current and historical experiences with racism and oppression (Ward et al, 2009).

Research shows that cultural mistrust in the African American community is mainly connected to an extensive atrocious relationship with the American medical community (Wallace, 2012). According to Ward et al., (2009), it is clearly recognized that minorities have negative attitudes and are more mistrustful of the mental health system than any other group. As noted, historical trauma has negatively impacted the African American community's trust towards medical and mental health professionals. As noted earlier, events like J. Marion Sims surgical experiments and the Tuskegee Experiment have contributed to the mistrust within the African American community.

Informal Support/Spiritual Beliefs. Moreover, in consequence of stigma and cultural mistrust, African Americans tend to rely more on informal supports in their lives to cope with life stressors. Informal supports have been identified as family, friends, the community, and church. This particular subject has been identified as a strength and implication in clinical practice. "According to the National Mental Health Association, 27% of African Americans said that if they experienced depression, they would handle it with prayer and faith alone" (Perdue et al, 2006, p.78).

Historically, the African American church has been a strong social and religious force of unity and is held in the highest esteem by many African Americans (Boyd-Franklin, 2003). Researchers have also found that African Americans report higher levels

of religious and church affiliation than the general population (Boyd-Franklin, 1987). According to Boyd-Franklin (1987), spirituality has been a survival mechanism that has contributed to the resiliency of African Americans in coping with the psychological pain of racism, discrimination, and oppression. The high reliance on informal supports has contributed to the lack of African Americans to seek more formal support services. As noted, this particular theme is recognized as a strength and barrier.

Exo-Mezzo Barriers

Exo-Mezzo system barriers in the mental health of African Americans have been identified on the basis of lack of African American professionals and cultural competency, issues in assessment, mis-diagnosis, inadequate treatment, and economic inequality. Research shows that these barriers create implications in clinical practice in the form of service delivery.

Lack of African American Professionals. Studies show that the lack of African American professionals has major implications for clinical practice. According to Glover (2012), it is highly unlikely for African Americans to have their mental health assessment and treatment provided by someone of their same cultural background. Statistics show that “only 2 percent of psychiatrists, 2 percent of psychologists, and 4 percent of social workers in the United States are African American” (National Alliance on Mental Illness, 2009). The lack of African American professionals impacts those that are interested in meeting with someone of their same cultural background. This implication is also pertinent as it may lead to issues in diagnostic assessment and treatment planning. For example, a study by Whaley (2001), found that African American clinicians seemingly

have the essential cultural awareness and clinical skills to be able to distinguish culture and pathology in paranoid symptom manifestation.

Cultural Competence. In addition to microsystem barriers such as informal supports and stigma, studies show that culture bias and the providers' lack of cultural competence may prevent African Americans from seeking and receiving suitable mental health treatment. According to Holden and Xanthos (2009), studies show that there is well-known discrepancy in cultural competency in mental health services. Cultural competence has major implications in mental health services for the African American community and is an umbrella issue that impacts issues in assessment, diagnosis, and treatment in clinical practice. Abernethy et al., (2006), defines cultural competency as acknowledgment and incorporation "at all levels, the importance of culture and language, the cultural strengths of people and their communities, the cross cultural relations, vigilance to dynamics in cultural and linguistic differences, and the adaptation of services to meet culturally unique needs"(p.103).

Issues in assessment. Research shows that the lack of cultural competence can result in inadequate recognition of mental health symptoms in African Americans, and result in improper diagnosis (Borowsky, et al., 2000). According to Holden and Xanthos (2009), African Americans may express their symptoms of mental illness differently from what clinicians are prepared to expect. For example, a common idiom of distress among African Americans is somatization. Somatization is identified as the expression of physical distress without medical explanation (Keyes & Ryff, 2003). In the African American community, it is more common to express physical sources of pain as opposed to mental sources of distress.

In addition to the lack of cultural competence, diagnostic bias also appears to be problematic for assessment and evaluation of psychiatric conditions (Baker & Bell, 1999). According to Snowden (2003), diagnostic bias occurs when clinicians make assumptions about people based on their race and ethnic origin. Research shows that diagnostic bias can lead to misdiagnosis and overlook particular symptoms of distress. Research shows that it is imperative for clinicians to be aware of and acknowledge possible bias and stereotypes that could impact their diagnostic assessments (Center of Excellence for Cultural Competence (CECC), 2009).

Mis-diagnosis of Schizophrenia. In relation to issues in assessment, research has also identified an implication in misdiagnosis. According to Hall (2008), “African Americans have similar rates of mental health diagnosis as the general public” however, a majority of African Americans tend to be under diagnosed with mood disorders and over diagnosed with psychotic disorders (p.8). According to the National Institute of Mental Health (n.d.), “2.4 Million American adults are diagnosed with Schizophrenia every year.” As noted previously, research shows that African Americans are five times more likely than whites to be diagnosed with schizophrenia (Barnes, 2008). According to Baker and Bell (2008), the over diagnosis of schizophrenia has been reported since the 1970’s.

Schizophrenia is characterized by “hallucinations, delusions, negative symptoms (to include flat/inappropriate affect), disorganized speech, and grossly disorganized or catatonic behavior” (4th ed., text rev.; *DSM-IV-TR*; American Psychiatric Association, 2000, p.299). Studies show that there may be a discrepancy in diagnosis due to clinicians’

inability to distinguish between cultural and pathological aspects of paranoia. For example, research found that African Americans may be more often diagnosed with schizophrenia due to misrepresentation of healthy cultural paranoia as clinical paranoia.

Cultural Paranoia. As indicated, misdiagnosis has also been associated with clinicians' incapability to discern between cultural and pathological aspects of paranoia in African Americans. In a qualitative study of patients diagnosed with schizophrenia, researchers found that hallucinations and paranoid/suspicious attitude were more common in African Americans (Trierweiler, et al., 2005). The study also found that the hallucinations and paranoia presented by the African Americans may have signified cultural paranoia in result of cultural mistrust.

Studies show that "clinicians may treat cultural mistrust as a symptom of clinical paranoia in their diagnostic decision making which increases the likelihood of false positive diagnosis of paranoid schizophrenia" (Whaley, 2006, p.93). Whaley and Hall (2009) identifies cultural paranoia as "a sense of apprehension, suspiciousness or distrust in interracial situations because of historical and contemporary experiences of racism and oppression" (p.459).

Treatment. Entrance into treatment and types of treatment are also identified barriers and pose implications for clinical practice. According to Snowden (2011) and Hatcher (2012), the dominant experience for African Americans with mental illness needing treatment is via emergency conditions and under forced or mandated conditions. Studies show that African Americans tend to be overrepresented in in-patient treatment and underrepresented in outpatient settings (Holden & Xanthos, 2009). According to

Holden and Xanthos (2009), African Americans may be overrepresented in in-patient treatment due to the delay in seeking treatment until their symptoms are prominent.

In addition to the entrance into treatment, the types of mental health treatment in the African American community also represent a barrier. Research shows that as a result of issues in assessment, there is risk for inappropriate treatments (Barnes, 2008).

According to Barnes (2008), unsuitable treatments are most often found in terms of the wrong medication and higher dosages of medication. The unsuitable interventions have been identified to lead to adverse side effects (Barnes, 2008).

Furthermore, another implication in treatment is found in the lack of culturally specific treatment for African Americans. Research shows that most theoretical approaches are ethnocentric and are not based on minority populations. According to Holden and Xanthos (2009), it is important for clinicians to modify traditional psychotherapy modalities to be effective when working with African American clients.

Economic Inequality. Finally, in addition to implications in mental health treatment, economic inequality is also an implication in the African American community (Wallace, 2012). According to Snowden (2001), “African Americans are relatively poor” and more likely to live in deep poverty compared to the rest of the population (p. 2). For example, “the median household income for black households is 34,000 compared with 55,096 for white households” (Holden & Xanthos, 2009, p. 17). Consequently, poverty impacts African Americans’ access to adequate and needed mental health services. According to Constance-Huggins (2012), “racial inequality remains woven into the fabric of American society” (p.3).

Literature Review Summary

Although African Americans only represent a small portion of the population in the United States, they are overrepresented in high-risk populations. The research shows that exposure to violence, incarceration, and involvement in the foster care system can increase the chances of development of a mental illness. Based on research, African Americans in particular are faced with exposure to these stressors in higher rates than the general population.

This research revealed that African Americans are at a disadvantage in mental health due to individual, environmental, and institutional factors. Common barriers such as stigma, cultural mistrust, and misdiagnosis pose significant risk factors for African Americans in need of mental health support. The over diagnosis of schizophrenia and the lack of African American mental health professionals also demonstrate the prevalence of the multi-systematic barriers.

Furthermore, the literature review identified the role of historical trauma and how it has shaped and impacted these barriers. The effects of subjection to historical trauma continue to impact the African American community to this day. According to Glover (2012), “although physical slavery in the United States has ended, the effects remain long standing” (p. 3).

Section II Conceptual Framework

Theoretical Framework

Ecological Systems Theory. The conceptual frameworks used for this study include the ecological systems and historical trauma theories. Ecological systems theory is a key theoretical lens guiding this research because this model recognizes that

individuals do not exist separately from their environments (Sheafor & Horejsi, 2012). Ecological systems theory recognizes the person-in-environment and examines the relationship between micro, mezzo, exo, and macro. This theory also provides the framework to study the relationships with individuals in contexts within their communities and wider society. According to Sheafor and Horejsi (2012), the ecological systems theory identifies that we must examine the context of the environment to fully understand the functioning of an individual.

Based on this perspective, it suggests that there are barriers in mental health services that impact the African American community on every system level. The systems in this particular study identify the barriers that African Americans experience in assessment, diagnosis, and treatment. The systems also identify the presence of historical trauma. The micro-system shows that African Americans experience barriers in relation to stigma, cultural stereotypes, informal support, and cultural mistrust. The mezzo system represents barriers in the forms of the lack of African American professionals, lack of cultural competency, issues in assessment, misdiagnosis, cultural paranoia, treatment, and economic inequality. The macro system shows the barriers of scientific racism and historical trauma.

This particular framework indicates that interventions should seek to eliminate systematic difficulties that impact the functioning of the African American community. This framework also signifies the importance of increasing needed resources to improve mental health resources for the African American community. (Sheafor & Horejsi, 2006). This framework recognizes the impact of the environment on the individual and their level of functioning.

Historical Trauma Theory. Historical trauma theory recognizes that “the populations historically subjected to long-term, mass trauma, colonialism, slavery, war, genocide- exhibit a higher prevalence of disease even several generations after the original trauma occurred” (Sotero, 2006 p.93). To understand how African Americans have a higher burden in mental health services, historical trauma theory provides a framework to examine the implications that impact mental health in the African American community. The historical trauma theory

requires four distinct assumptions; mass trauma is deliberately and systematically inflicted upon a target population, trauma is not limited to a single event, but continues over a period of time, traumatic events reverberate throughout the population, creating a universal experience of trauma, and the magnitude of the trauma experience details the population from its natural, projected historical course resulting in a legacy of physical, psychological, social, and economic disparities that persist across generations (Sotero, 2006, p.94).

The historical trauma theory in relation to this study acknowledges the impact of historical trauma on the African American community. The research shows that “the psychological and emotional consequences of the trauma experience are transmitted to subsequent generations through physiological, environmental, and social pathways resulting in an intergenerational cycle of trauma response” (Sotero, 2006, p.95).

In summary, the conceptual framework for this study integrates the information gathered in the literature review on barriers African Americans experience when accessing mental health treatment and applies it across the ecological system and historical trauma theories. The literature suggests that there are barriers present in each

system and the importance of addressing the social issues that create them. The literature also suggests the importance of examining the barriers through a historical trauma lens.

Methodology

Research Design/Instrument

The qualitative method was used for this research. The present exploratory study focuses on the variety of barriers that African Americans experience in mental health services and the impact of historical trauma. This qualitative study was designed to explore the systematic barriers from the views of mental health professionals. This research project asks the questions “What are the systematic barriers that African Americans experience in assessment, diagnosis, and treatment in mental health? and How does historical trauma impact mental health in the African American community?” The study consisted of 5 interviews that were audio-recorded with the participants’ prior permission. The interview consisted of 12 open-ended questions (see Appendix B) and four demographical/background questions. The qualitative questions were based on the perceptions of mental health professionals on barriers that African Americans experience in mental health services. Demographical information consisted of: age, gender, how long a mental health practitioner, license held, and ethnic background. The qualitative questions were reviewed by the research committee to improve validity and reduce researcher bias.

Sample

Purposive and snowball sampling methods were employed for this research. To be included as a participant, interviewees were required to have a graduate level degree or higher, have therapeutic license in the state of Minnesota (i.e. L.P, LMFT, LICSW, etc.),

identify as African American, and be actively engaged in conducting individual therapy with clients. Five African American mental health professionals who met the criteria were included in this sample. Members of the sample were contacted via email and/or phone to identify if they would be interested in taking part in the research project.

Participants in the study received via email an introduction letter with an attached consent form (Appendix A) outlining the purpose of the study, an explanation of the procedural process, and the researcher's contact information should they have questions regarding the study.

Protection of Human Subjects

This study was reviewed and approved by a research committee and the Institutional Review Board at St. Catherine University prior to data collection. The researcher reviewed the consent form with the participants, explaining all aspects of the document and offered the participants the opportunity to ask additional questions regarding the study. The consent form provided information about the purpose for data collection and explained in detail what procedures would be followed during the interview. It was also explained to the participants that they have the option to pass on a question or terminate the interview at any time if feeling uncomfortable without repercussions. Risks and benefits of participation in the study were discussed, reporting that there were no known risks or benefits identified that could affect the participants.

Data Collection.

The interview structure was non-schedule standardized, with a narrow topic and specific questions asked of all respondents (Monette, et. al., 2011). The interviews were conversational; questions may have been rephrased or asked out of order to best fit each

particular interview. Questions (Appendix B) were open-ended, allowing the respondents full freedom of expression, (Monette, et. al., 2011). The questions were open ended and pertained to the concepts identified within the literature review for this study. The research design for this study was qualitative, utilizing qualitative questions during the interview process. The questions asked in this study were designed to explore the mental health professionals' perceptions of the barriers experienced by their African American clients in assessment, diagnosis, and treatment. The questions asked were also designed to explore the professionals' perceptions on the impact of historical trauma.

Data Analysis

The researcher evaluated the data using a qualitative method of content analysis taking into consideration the themes that evolved from the literature review. According to Berg & Lune (2009), content analysis is an inductive, systematic means of evaluating the raw data to look for repeated subjects or ideas that develop from the material. The researcher began with specific themes that had been created in review of previous literature. In order to identify the codes in the data, open coding was used, which involved examining the data line by line for similarities and differences. Once the research material went through the coding process, the data was applied to the specific themes that were identified through previous literature. After the coded transcript was created, the information was collapsed to identify specific themes for narrative content.

Section III Findings

Sample

The sample for this research project consisted of five mental health therapists who currently work with African American clients. All respondents were African American

and varied in regards to age and gender. The participants had completed graduate level work in the following areas; 3 Social Work and 2 Marriage and Family Therapy. There were 4 females and 1 male represented ranging from 31-50 years of age. The years of clinical practice ranged from 4-20years.

Themes

Barriers. The first open-ended question was: In your experience, what do you think hinders African Americans from seeking mental health support? All five respondents recognized several barriers that hinder African Americans from seeking and receiving needed mental health services. The barriers identified were labels, stigma, mistrust, system of therapy/clinic policies, family rules, historical trauma, cost, lack of culturally appropriate assessments/therapeutic modalities, lack of African American professionals, lack of awareness, and over pathology. Some of the barriers will be discussed further below.

Mistrust. All respondents identified mistrust as a barrier that hinders African Americans from seeking mental health services. One respondent stated: “I think historically African Americans have learned not to trust the system and so there are some systematic barriers just from not trusting” (Respondent 5). All five respondents highlighted mistrust as a major barrier that prevents African Americans from receiving mental health support. Another respondent stated: “I think there is mistrust with mental health services and medical services in general” (Respondent 2).

Labels. Closely related to mistrust another barrier identified by respondents was the fear of labels. All five respondents referenced that African Americans fear the label of a mental health diagnosis. The fear is associated with stigma and how the community will

perceive them. One respondent stated: African Americans have a “fear of labels” (Respondent 2). The other two respondents spoke specifically to the impact of labels and how that has been an issue throughout history. A respondent stated; “African Americans have a long history of being labeled and those labels lead to identifying disparities” (Respondent 1). This respondent also stated, “African Americans have the fear of three labels: bad, lazy, or crazy” (Respondent 1).

System of therapy and Clinic Policies. Another barrier identified by the respondents was based on the system of therapy. Three of the respondents made a reference to the lack of culturally sensitive modalities offered in the therapeutic setting. A respondent specifically stated: “the mental health models are not adapted to families of color and their structure and their needs. Therapy is a white middle class apparition and when you look at the roots of therapy it was generally for white wealthy people” (Respondent 1).

Another respondent spoke further to the therapy model and expectations of appointments. The respondent stated: “systems are not set up particularly for urban populations to feel comfortable. So if my appointment is canceled if I’m 10 minutes late because I took the bus because I had to walk and I had the babies and...well sorry your appointment is cancelled. You were late and it is our policy” (Respondent 4). The respondent referenced to the system of mental health clinics and expectations around scheduling as a barrier for the African American community. This particular respondent felt that the system of therapy and policies at clinics are “not welcoming” for urban populations (Respondent 4).

Family Rules. Two respondents found that the therapy model is not fitting for the African American community due to “spoken and unspoken rules within the family” (Respondent 3). The respondents identified that the model of therapy asks clients to discuss personal things about their family, which is not necessarily acceptable. A therapist specifically stated that “you don’t talk about what happens within your family and therapy is asking you to do that” (Respondent 2).

Cost. In addition to the system of therapy and clinic policies, all of the respondents identified cost and the lack of insurance as implications for mental health services for the African American community. One respondent indicated that the cost of therapy is unaffordable. “Therapy is too costly. The common practice is if you can’t afford your co-pay then therapy stops. Doesn’t matter what you’re working on or how critical your need is. You will be referred somewhere else because you can’t pay” (Respondent 1). This particular respondent felt that the cost of therapy prevents some African American clients from receiving needed mental health services.

Lack of Awareness. Several respondents felt that awareness is barrier that prevents African Americans from seeking mental health services. Respondents indicated that many African Americans are not aware of what mental health is. One respondent specifically stated: “I think not understanding. A lot of people only know what they hear from other people or what they’ve seen on TV” (Respondent 2). Another respondent indicated that “many African Americans do not understand mental health or the concept of therapy” (Respondent 4).

Lack of African American Professionals. Four out of the five respondents identified the lack of African American professionals as a barrier that hinders African

Americans from seeking and receiving needed mental health services. Respondents felt that the only diversity of mental health is found in the client population. One respondent stated: “there has to be diversity in mental health. Mental health never really looks diverse unless you are the client.” Another respondent stated, “We need more black therapists. There are too many white women. I don’t say that disrespectfully but there is something to having someone that looks like you to work with you.” This theme highlighted the importance of having more African American professionals in the field of mental health.

Influence of Racial Identity

The next question asked: How do you see your racial identity as African American influencing you work with African American clients. All of the respondents felt that their racial background made a positive impact on their relationship with African American clients. All of the respondents highlighted the relevance of culture and its impact on the therapeutic process. Responses ranged from the appearance of their office to their ability to understand certain aspects of the African American culture and racial micro-aggressions.

One respondent reported on the appearance of their office and the intentions of including culture:

The color scheme is intentionally dark. You see my Kwanza. You see my African women pouring water into the well. Culture is all over in here and it is intentionally in here. I think racial identity plays a huge part. I think the therapy experience needs to be culturally affirming (Respondent 1).

The respondent felt that “it’s challenging enough to come in to do the work of therapy the more one feels that the space and the therapist represent parts of their culture that’s one less bridge to cross” (Respondent 1). This respondent felt that the appearance is a very important part of the therapeutic process.

All five respondents spoke specifically to their ability to connect with their clients based on the shared commonality of cultural background. The respondents acknowledged their ability to understand micro-aggressions and certain struggles of their clients based on their experience as an African American. One respondent stated:

Having the experience that I’ve had as a black woman gives me insight into certain things. It gives me insight into maybe micro-aggressions of certain historical traumas that have been passed down that I have experienced because of my race so I think that helps to understand kind of where some of my clients are coming from (Respondent 2).

One respondent highlighted that she had a particular client that chose to work with her over a long period of time specifically because she was a clinician of color. The respondent stated:

She felt comfortable right off the bat working with me and she felt that I would have a better understanding of her issues and the things that related to her as a person of color that was one of the reasons why she felt that she had stayed in therapy for that long (Respondent 5).

Another respondent identified the importance of feeling connected based on the shared commonality of race. The respondent stated:

I think that when people are in pain they want it to be as simple as possible. They want to be as comfortable as possible and they want to feel better as quickly as possible so if they feel like some of this you can understand the trauma if you can understand some of these forces around that have to do with race then I feel better. I feel encouraged that someone looks like me” (Respondent 4).

Another respondent felt that their shared cultural background with the client enables the client to skip particular things regarding race and culture. The respondent stated: “so I think it’s easier when families tell me things because they don’t really have to explain who they are and their background that kind of thing we can skip some of those things” (Respondent 3).

Over-Diagnosis of Schizophrenia

The next question was: During some of my research, I have come across studies that indicate that African American males tend to be over diagnosed with schizophrenia. What are your thoughts about that? All five respondents indicated that the over diagnosis of schizophrenia among African American men was not something that they experienced directly in their clinical work. All five respondents acknowledged the over diagnosis to be tied to barriers in diagnosis and assessment in mental health services for African Americans.

Two respondents spoke specifically to concerns with the DSM. One respondent stated, The DSM

doesn’t take into the account the context of family or relational aspects into account. It’s encompassing a norm that was created by a group of people that are saying this is the norm. So that norm is determined by the dominant culture so if

you have a group of individuals that don't meet that norm then any type of behavior that they present outside of that norm are going to be abnormal.

(Respondent 2).

Another respondent stated: "The whole DSM is based on white men. So we are basing everyone else off of white men" (Respondent 4).

Another respondent spoke specifically to issues with clinicians being able to distinguish between healthy paranoia and clinical paranoia:

I think it's a misunderstanding of where people are coming from. A lot of black folks that I have worked with have been identified as being paranoid but I don't see it as clinical paranoia. I see it as healthy paranoia. Like I need to know my surroundings. I need to know who you are. Some of those symptoms get misconstrued into something else and then they get misidentified as symptoms of schizophrenia (Respondent 3).

All respondents acknowledged that schizophrenia was a heavy diagnosis and needed to be thoroughly assessed before being diagnosed to an individual. Three out of the five respondents indicated that they most commonly see symptoms of PTSD in their African American clients. One respondent specifically stated: "I think a lot of what I found the most helpful diagnosis the most operative diagnosis in working with black men is almost 9 times out of 10, a PTSD diagnosis" (Respondent 1).

Protest Psychosis

The following question asked: "Are you familiar with the term protest psychosis?" All five of the respondents confirmed that they had never heard the term prior to the interview. When the term was explained to the respondents, they identified the

relationship between African American males and perceived rage. One respondent stated: “this factors into the rage that I think black men who have not been able to express their legitimate hurt and rage” (Respondent 1). The respondents spoke to this further by highlighting the impact that slavery and the civil rights movement have had on the role of the African American male in society. One respondent stated, “Black men have not been able to express their legitimate hurt and rage” (Respondent 1). Another respondent stated: “I get black males in therapy at the age of three that the system has already deemed deviant and dangerous” (Respondent 4). The respondents identified that the term and diagnosis of “protest psychosis” is closely related to historical trauma. The respondents felt that there is a systematic issue with how Black men and boys are labeled and viewed in society.

The Impact of Historical Trauma

The next question asked: how do you think historical trauma impacts the mental health of the African American community? All five respondents felt that historical trauma had a major impact on the mental health of the African American community. One respondent in particular stated:

I think that historical trauma plays a huge impact on the lives of African Americans but I just think that there is a disconnect and a lack of knowledge to connect it back to what’s going on to really understand who you are. You really don’t know who you are unless you know where you came from (Respondent 3).

Tuskegee Experiment. Three respondents in particular commented on the impact of the Tuskegee Experiment that hinders African Americans from seeking mental health services. A respondent stated:

There are the larger historical examples of mental health and I don't know if it's necessarily mental health but overall health care where African Americans were treated more as experiments. So you have the Tuskegee that's in everyone's psyche (Respondent 1).

Another respondent stated: "the Tuskegee Experiment and being told info and then having it not be accurate...and so there is this fear of well you're telling me you're going to do something but how do I know what you're really doing" (Respondent 2). The third respondent referenced to African Americans being treated as guinea pigs in medical research. "We are known to be guinea pigs. If you think about the Tuskegee project and how we were misled and so that still sticks with us to this day. We are used as for these research practices" (Respondent 5). This particular theme acknowledged the impact that the Tuskegee experiment has had on the African American community and their trust towards the medical system.

Colorism. Another theme of historical trauma identified by a respondent was the impact of colorism in the African American community. This respondent expressed the importance of acknowledging the presence of ongoing trauma in connection with issues from the past. The respondent spoke to the issue of African Americans being split up based on their skin complexion. The respondent stated: "we still got it so that Black folks are split up. We can see it with the light skin dark skin with skin color in the community. Colorism within the community" (Respondent 4). The respondent felt that colorism is closely related to "post traumatic slave syndrome" (Respondent 4).

Institutional Racism was also highlighted by a respondent in regards to historical trauma in relation to generational trauma. The respondent stated:

We are Trayvon Martin. We are Jordan Davis. You know it's still kind of a mind control thing. So if the police stop me what do I have to do to save my life.

Anything that says I'm unhappy or I'm angry anything like that and I can be dead.

So with Jordan Davis it was just music. So saying your culture is not ok. We are still giving messages that your culture is not ok (Respondent 4).

This respondent identified how institutional racism is a part of generational trauma and how it impacts the African American community in the general society.

Four of the five respondents also made a reference to the relationship between historical trauma and ongoing multigenerational trauma. One respondent stated: "trauma historically is not just slavery but it is just as real today" (Respondent 1). Another respondent explored this concept further by stating: "in Minnesota, we have the largest disparities in almost everything. Unemployment, healthcare, suspension, graduation gaps and it is discouraging. Even the whole thing that black men are dangerous is a throwback of slavery" (Respondent 4).

Historical Trauma Incorporated into the Therapy Process

The respondents were asked if they incorporate historical trauma into their clinical work with their African American clients. All of the respondents confirmed that they believe using a trauma lens in general is vital in working with African American clients. All of the respondents also indicated that they feel historical trauma is something that will generally emerge in the therapeutic process. One respondent spoke to specifically utilizing the genogram. "When I do genograms with families, we are looking for trauma all through it" (Respondent 1). One respondent stated that historical trauma is incorporated in the therapy process as clients "need to understand the strength that

became before them” (Respondent 4). This particular respondent felt that it is important for African Americans “to look historically and not just see what the trauma was but the overcoming of trauma and the healing” (Respondent 4). This statement meant that incorporating historical trauma in the therapeutic process helped to foster the strength based perspective.

How to Improve Mental Health Services & Techniques used in the Therapeutic Process

The next two questions asked how mental health services could be improved and what therapeutic techniques are helpful when working with African American clients. The respondents identified numerous techniques that they have found helpful in working with African American clients. The respondents identified such techniques to incorporate in the therapeutic process as incorporating spirituality, working from a strength-based perspective, and utilizing a trauma lens. The respondents also reported several ways in which mental health services could be improved. The respondents identified such improvements as increasing the number of African American professionals, increasing opportunities for African American professionals to get credentialed, and offering better training for mental health professionals,

Four of the respondents made a reference to the importance of incorporating spirituality into their clinical practice with African American clients. One respondent stated: “I think that the heartbeat of the African American culture is theme of spirituality” (Respondent 1). The respondents spoke to the difference between spirituality and religion and not assuming that all African Americans are religious. One therapist stated:

9 out of 10 of my African American clients wanted to incorporate spirituality into their treatment plans and so whether we would do biblical scripture based prayer together and break it down like how does this scripture relate to what you're going through and how can we use spirituality as a calming or coping strategy or like a meditation (Respondent 5).

Four of the five respondents discussed the importance of working from a strength-based perspective when working with all clients especially African Americans.

One respondent spoke to the negative impact of not utilizing a strength-based perspective. The respondent stated:

There are often times where there are less culturally sensitive organizations that work predominately with communities of color and they kind of take that let me help you out kind of stance let me save you from all of this oppression and everything that you're going through (Respondent 5).

A theme identified as a way to improve mental health services for the African American community was to better prepare and train professionals in the field. Two respondents specifically felt that improvement is "going to start with the people that are delivering the service" (Respondent 3). The respondents indicated that schools and training programs could do more to ensure professionals are well prepared to work with diverse communities. One respondent specifically stated: improvement needs to begin "with the schools that are educating the mental health providers" (Respondent 3). The other respondent stated "I think therapist training programs have to be better" (Respondent 4).

Discussion

This study utilized a qualitative approach to generate responses from five mental health therapists that work with the African American community. The intent of this research was to explore mental health in the African American community and the impact of historical trauma. The research was meant to identify the influence of historical trauma and barriers that African Americans experience in mental health diagnosis, treatment, and assessment. The study was also intended to identify ways in which mental health services can be improved.

Micro-Level Barriers. According to the therapists who participated in the study, there are several barriers that impact mental health in the African American community. The most influential micro level barrier identified by the professionals was the impact of mistrust. According to the professionals, it is very common for individuals in the African American community to possess a sense of mistrust towards systems. The professionals identified mistrust as a barrier that prevents African Americans from seeking needed mental health treatment.

In addition to mistrust, the respondents also identified the lack of awareness as a micro level barrier. The lack of awareness was identified as African Americans not being aware of the impact of mental health and not understanding the concept of therapy. One respondent stated a main barrier that hinders African Americans from seeking mental health services is “not understanding” what mental health is. These identified barriers were consistent with previous research.

Mezzo Barriers. According to many respondents of the study, a mezzo barrier that hinders the African American community from seeking needed mental health

services is the lack of African American professionals in the mental health field. All of the respondents felt that the lack of African American professionals negatively impacts mental health services. A respondent stated African Americans are less likely to seek needed mental health services due to “not seeing professionals that look like them and not feeling like they are understood.” This identified barrier was also congruent with previous research.

Macro Barriers. Macro-level barriers identified by the respondents in the study were in relation to historical trauma. The respondents spoke to the impact of colorism, institutional racism, and the Tuskegee experiment. The respondents felt that historical trauma has a huge impact on mental health in the African American community. Specifically speaking to the impact of the Tuskegee Experiment, one respondent stated: “African American people were treated more as experiments. The Tuskegee Airman is an example” (Respondent 1). The research literature also seemed to echo this theme and highlighted the long relationship of mistrust between the medical and African American communities.

Strengths and Limitations

Strengths. There were several strengths and limitations identified in this study. A specific strength of this research was the use of individual interviews. The use of individual interviews allowed the opportunity to gather more in-depth information and hear voices directly from the community. Another strength of this study was the experience of the respondents in the study. The respondents in the study identified as African American and had experience in various settings working with African American clients. The respondents represented two mental health disciplines, including social work

and licensed marriage and family therapist. Each clinician offered their own perspective based on their experience.

Limitations. This research was found to have many strengths but it also had limitations. One limitation was the limited size of the sample, consisting of only five participants. The small sample size makes it difficult to generalize the results to other mental health professionals and the overall African American population.

Another limitation is that this research only focused on professional perspectives, possibly leading to partisan results. Future research could include the perspectives of the general African American population. It seems that interviewing members of the general African American population would lead to a more balanced understanding of the impact of historical trauma and the perceived barriers in mental health assessment, diagnosis, and treatment. The insights provided by the general African American population would also provide a valuable perspective on how mental health services can be improved.

Implications for Social Work Practice

Based on the literature and research obtained, it is well documented that there are several barriers in mental health services that impact the African American community. As noted, the barriers are multi-faceted and it has been demonstrated that each barrier needs to be addressed at every system level to create change. The barriers identified demonstrate many implications in social work practice, policy, and research. It is the role of the social worker to address those barriers and seek to create change on behalf of the African American community.

A macro implication that seems present throughout every theme found in the study was the impact of racism. According to Williams and Williams (2000), the health of minorities in the United States is largely impacted by racism. In addition to health

disparities, racism can also be identified through the many disparities in wealth, income, and education. In health in particular, the surgeon general's report on culture, race, and ethnicity also recognizes mental health disparities in the African American community based on inaccessibility to care (Hines-Martin, et al., 2003).

The NASW (2008) Code of Ethics states:

The primary mission of the social work profession is to enhance human well-being and to help meet the basic needs of all people with particular attention to the needs and empowerment of people who are vulnerable, oppressed, and living in poverty.

According to Whaley (2001), clinicians must be open to learning from their clients and acknowledge the impact of racism and discrimination on mental health. It is the role of the social worker to be mindful of the burdens of poverty and racism and how they impact access to needed services. This is congruent with the social work code of ethics to enhance human wellbeing and address the needs of those that are oppressed and in poverty.

Another implication identified was the lack of African American professionals in the mental health field. This theme seemed prevalent in the study and previous research. The role of the social worker to address this implication is to identify solutions to recruit more diverse social workers in the field. The findings of this research indicate that social workers should be aware of the influence of culture and how it can impact the therapeutic process.

In addition to the lack of African American professionals, social workers should understand the impact of mental health stigma and the fear of labels in the African American community. This theme is relative to the ethnic-sensitive social work

perspective. This lens identifies that social workers need to be aware of how culture can impact help-seeking behaviors (Sheafor & Horjesi, 2006). The findings of this research also indicate that social workers should take a relational, strength-based perspective when working with African American clients. This is consistent with the social work value of ‘meeting clients where they are at’.

Implications for Policy. An implication in policy identified is the need for adequate funding to offer scholarships and credential opportunities for African American clinical social workers and other therapists. This implication was identified in the study and highlighted the importance of funding potential opportunities to increase the number of African American professionals in the field. The role of the social worker is to support the change of programs and policies that have a negative impact on vulnerable communities.

Implications for Future Research. Though the present study offers invaluable insight into experiences of African American therapists in the community, it is important to look toward future research opportunities to expand knowledge and understanding of barriers that impact mental health in the African American community. This research shows the need for more research to explore mental health in the African American community and the barriers to accessing services. This study also highlights the need to focus on solutions for the implications in clinical practice.

Understanding the impact of racism and social injustice is essential to addressing the identified barriers that impacts mental health in the African American community. The barriers identified demonstrate many implications in social work practice, policy, and research. According to Sheafor and Horjesi (2006), if the issues are “not addressed,

these social injustices will continue to burden the individuals affected and the society as a whole” (p.71).

Conclusion

This study aimed to identify the barriers that impact mental health in the African American community and the relevance of historical trauma. The research examined the barriers that African Americans experience in mental health assessment, diagnosis, and treatment. The participants identified several barriers such as: lack of African American professionals, cost, issues in assessment, and stigma, in addition to many others. The participants also identified the role of historical trauma and how it has influenced these barriers. The results from this study were consistent with previous research and identified that African Americans are at a disadvantage in mental health due to individual, environmental, and institutional factors. The findings suggest several implications for social work practice, research, and policy.

The study revealed that although there have been several systematic barriers identified that impact mental health in the African American community, there are also several ways in which services can be improved. Suggestions for improvement identified by the respondents were: increasing the number of African American professionals, increasing opportunities for African American professionals to get credentialed, utilizing a trauma lens in therapeutic intervention, and working from a strength-based perspective.

As noted, there were strengths and limitations to this study. A particular strength of this study was the use of in-person interviews with members of the African American community. Utilizing in-person interviews provided the opportunity to gain rich and valuable information. Focusing specifically on African Americans respondents was also a strength due to the lack of research within this community. A limitation of this study was

the size of the sample. Due to the small size of the sample, it limited the viewpoints and could not be generalized to the general African American population. Despite the limitations, this research provides findings that are beneficial to the field of social work.

In addition to the strengths and limitations identified, this study also recognized the implications for the field of social work and the general society. The respondents and the research acknowledged racism and how it impacts each barrier of mental health in the African American community. Understanding the etiology and diagnosis of mental health in the African American community and the connection to racism is essential to addressing the over-diagnosis of schizophrenia and underutilization of treatment. Based on the information provided, it is imperative to address the complications of racism and acknowledge the impact of historical trauma in order to truly address the barriers in mental health.

Section IV

APPENDIX A RESEARCH PARTICIPATION INVITATION

Dear Potential Research Participant;

I am a graduate student in clinical social work at the College of St. Catherine/ University of St. Thomas, St. Paul, MN. As part of my clinical social work program

requirements, I have undertaken a **research project that examines the barriers in assessment, diagnosis, and treatment that African Americans face in mental health.** My research is supervised by my graduate research project chair, Dr. Lisa Kiesel, and this research project has been approved by the University of St. Thomas Institutional Review Board.

I am seeking African American participants with a graduate degree in the field of clinical counseling and at least a year of experience working with African American clients. Participation in this study will involve a 60 minute in person interview with me and completion of some demographic questions. The total time involved in participating in this study is 70-90 minutes.

Your name and other identifying information will be kept confidential. Attached you will find the Informed Consent notification form for this research project that will explain in further detail the purpose of the research, the benefits and risk to participating in this project, along with contact information for supervisors of this research project.

If you would so kindly choose to voluntarily participate in this study, please respond to me by email at [REDACTED] or by telephone [REDACTED]

If you are unable to participate in this research project, I would greatly appreciate if you would share the names and numbers (with permission) of other clinical social workers that work with African American clients. Please email me their name, number and/or email address (with their permission) so I may contact them.

Thank you for considering this request.
Sincerely,
Jamie R. Hackett, BSW

Researcher:
Jamie R. Hackett, BSW
St. Paul, MN
[REDACTED]

Research Project Chair:
Dr. Lisa Kiesel
University of St. Catherine/St. Thomas
University
[REDACTED]

APPENDIX B
INFORMED CONSENT: PARTICIPATION IN RESEARCH
UNIVERSITY OF ST.THOMAS/ST CATHERINE UNIVERSITY

Purpose for the Research

I'm conducting a qualitative study of clinicians' perceptions on the barriers African Americans experience in mental health assessment, diagnosis, and treatment. The study also focuses specifically on the impact of historical trauma. I am seeking African American participants with a graduate degree in the field of clinical counseling and at

least one year of experience working with African American clients. You have been identified as a possible participant because you are African American and have experience working with this population and have the knowledge and skills about perceptions of barriers and best practices when serving this population. This research is important as it will: a) determine if the systematic barriers mental health professionals perceive match the barriers that are presented in the literature, b) to improve clinical practice, and c) articulate the needs of the therapist to address the systematic barriers that African American clients experience.

This study is being conducted in partial fulfillment of the Clinical Social Work Master's degree at the University of St. Thomas/St. Catherine University.

Procedures

If you agree to participate in this study, upon initial contact with you I will ask you preliminary and demographic questions, and ask you to partake in an interview which will take approximately one hour. After you have provided preliminary and demographic questions to verify eligibility and you have reviewed and given your consent to participate, I ask you to partake in an interview which will take approximately one hour. The questions in the interview will consist of 12 open-ended questions about mental health in the African American community and the relevance of historical trauma. I will be audio taping the interview, then transcribing the interview for data analysis. To assure validity of the information, I will present the findings back to you. Your transcript will be kept in a locked file cabinet at my residence. I will delete the recorded interviews after the research project is completed and presented to the public in May, 2014.

Risks

The study has minimal risks which means that the likelihood of harm or discomfort to the participant in research are no greater than risks ordinarily encountered during the performance of routine interview questions. The participant has permission to pass on a question or terminate the interview at any time if feeling uncomfortable. There are no repercussions for withdrawing from this study.

Signature of Researcher

Date

Print Name

APPENDIX C, PART 1

Initial contact: *“Hello, I am a clinical social work student at University of St. Thomas/St. Catherine University. I got your name from _____. I am conducting research on mental health clinicians working with African Americans. Do you have a couple minutes to talk with me? Or is there a better time to call you?”*

DEMOGRAPHIC and SCREENING QUESTIONS:

Participant’s name:

Participant’s email address:

Professional credentials (degree and licensure): _____

Age: _____ Gender: _____ Race/Ethnicity/Culture: _____

Years of Experience with African American Clients: _____

Current Percentage of African American Clients on your Caseload _____%

How many years have you worked with African American clients in an agency? _____

(Concluding initial contact: *You have met the criteria to participate in this research project-then move to next questions, or I am sorry you did not meet the criteria for participating in this research project. I am relying upon contact for leads to participants; can you share the names of three other clinicians working with African Americans. Thank you for your time*)

1. _____

2. _____

3. _____

If the professional meets the criteria to be an interview participant:

In the next month, what days and times work best for you to participate in this study? Or what days and times are you unavailable to participate in the interview? _____

Any suggestion where you would like to have your interview?

APPENDIX C, PART 2

Upon meeting for interview: *Thank you for participating in this research project. I appreciate your time and interest in the topic. We first need to review the consent to participate form. You are aware that your name and place of employment will be kept confidential. I would like to email your interview transcript to you for validity, can I get your email address? _____ . Are you ready to start the interview questions?*

INTERVIEW QUESTIONS

- 1) What has been your experience in working with African Americans in a therapeutic setting?
- 2) In your experience, what do you think hinders African Americans from seeking mental health support?
- 3) How do you see your racial identity influencing your clinical work with African American clients?
- 4) There are some studies that show that African Americans tend to be over-diagnosed with Schizophrenia. What are your thoughts?
- 5) Are you familiar with the term Protest Psychosis?
- 6) Are you familiar with the concept of historical trauma in the African American community? (If no, explain the concept of historical trauma in the AA community)
- 7) How do you think historical trauma impacts the mental health of African Americans?
- 8) How do you (or can you if is not familiar with this concept) incorporate Historical trauma in your work with African American clients?
- 9) What other techniques do you identify as helpful in working with African American clients?
- 10) What are some ways that mental health services can be improved for the African American community?
- 11) What would be your suggestions for other mental health professionals working with African American clients?
- 12) Is there anything else that you would like to add to the study?

References

- Abernethy, A. D., Houston, T. R., Mimms, T., & Boyd-Franklin, N. (2006). Using prayer in psychotherapy: Applying sue's differential to enhance culturally competent care. *Cultural Diversity and Ethnic Minority Psychology, 12*(1), 101-114.
doi:<http://dx.doi.org.pearl.stkate.edu.ezproxy.stthomas.edu/10.1037/1099->

[9809.12.1.101](#)

American Psychiatric Association. (2000). *Diagnostic and statistical manual of mental disorders* (4th ed., text rev.). Washington, DC: Author.

Anderson, L. B. (2012). *African American males diagnosed with schizophrenia: A phenomenological study*. 72(12), 7276. Retrieved from https://digarchive.library.vcu.edu/bitstream/handle/10156/3537/LorraineBAndersonDissertation_08%2011%2011%20%5b2%5d.pdf?sequence=1

Baker, F. M. & Bell, C. C. (1999). Issues in psychiatric treatment of African Americans. *Psychiatric Services*, 50(3), 362-368. Retrieved from http://fc9en6ys2q.search.serialssolutions.com/?ctx_ver=Z39.88-2004&ctx_enc=info%3Aofi%2Fenc%3AUTF8&rfr_id=info:sid/summon.serialssolutions.com

Bankole, K. (2009). Sankofa, film. In M. Asante, & A. Mazama (Eds.), *Encyclopedia of African religion*. (pp. 588-590). Thousand Oaks, CA: SAGE Publications, Inc. doi: <http://dx.doi.org/10.4135/9781412964623.n365>

Barnes, A. (2008). Race and hospital diagnoses of schizophrenia and mood disorders. *Social Work*, 53(1), 77. Retrieved from http://go.galegroup.com/ps/i.do?id=GALE%7CA209801162&v=2.1&u=clic_stthomas&it=r&p=HRCA&sw=w&asid=9bb7692bcc3b441a3295eaeda78346f5

Berg, B. L., & Lune, H. (2009). *Qualitative research methods for the social sciences*(8th ed). Edinborough Gate, Harlow: Pearson.

- Bhugra, D., Mallett, R., & Leff, J. (1999). Schizophrenia and african-caribbeans: A conceptual model of aetiology. *International Review of Psychiatry, 11*(2), 145-152. doi:10.1080/09540269974311
- Borowsky, S. J., Rubenstein L.V., Meredith L. S., Camp, P., Jackson-Triche, M., & Wells, K.B. Who is at risk of nondetection of mental health problems in primary care? *J Intern Med, 15*(6), 381-388. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1495467/>
- Boyd-Franklin, N. (2003). *Black families in therapy: understanding the African American experience*. New York, NY. The Guilford Press.
- Boyd-Franklin, N. (1987). The contribution of family therapy models to the treatment of black families. *Psychotherapy: Theory, Research, Practice, Training, 24*(3S), 621-629. doi:<http://dx.doi.org.pearl.stkate.edu.ezproxy.stthomas.edu/10.1037/h0085760>
- Bronfenbrenner, U. (2000). *Ecological systems theory*. (pp. 129-133). New York, NY, US: Oxford University Press. doi:10.1037/10518-046
- Broussard, B., Goulding, S. M., Talley, C. L., & Compton, M. T. (2010). Beliefs about causes of schizophrenia among urban African American community members. *Psychiatric Quarterly, 81*(4), 349-362. doi:10.1007/s11126-010-9143-1
- Brown, J. A. (2004). *African American church goers' attitudes toward treatment seeking from mental health and religious sources: The role of spirituality, cultural mistrust, and stigma toward mental illness*. (Order No. 3129678, The University of North Carolina at Chapel Hill). ProQuest Dissertations and Theses, 77-77 p.

Retrieved from

<http://search.proquest.com/docview/305169067?accountid=26879>. (305169067).

Center of Excellence for Cultural Competence. (2009, July 23). Schizophrenia: the impact of race on diagnosis: Cultural Competence Matters. Retrieved from http://nyspi.org/culturalcompetence/what/pdf/Cultural_Competence_Matters_Issue_4.pdf

Constance-Huggins, M. (2012). Critical race theory in social work education: a framework for addressing racial disparities. *Critical Social Work*, 13(2), 1-16. Retrieved from <http://www1.uwindsor.ca/criticalsocialwork/system/files/Constance-Huggins.pdf>

Danzer, G. (2012). African-Americans' historical trauma: Manifestations in and outside of therapy. *Journal of Theory Construction & Testing*, 16(1), 16-21. Retrieved from <http://ezproxy.stthomas.edu/login?url=http://search.ebscohost.com.ezproxy.stthomas.edu/login.aspx?direct=true&db=aph&AN=75165742&site=ehost-live>

DeCoux Hampton, M. (2007). The role of treatment setting and high acuity in the over diagnosis of schizophrenia in African Americans. *Archives of Psychiatric Nursing*, 21(6), 327-335. doi:<http://dx.doi.org.ezproxy.stthomas.edu/10.1016/j.apnu.2007.04.006>

Degrury-Leary, J. (2005). *Post traumatic slave syndrome: America's legacy of enduring injury and healing*. Milwaukie, OR: Uptone Press.

- Ellis, M. C. & Carlson, J. (2009). Cross cultural awareness and social justice in counseling. New York: Taylor & Francis.
- Estrada, A. L. (2009). Mexican Americans and historical trauma theory: A theoretical perspective. *Journal of Ethnicity in Substance Abuse*, 8(3), 330-340. Retrieved from <http://ezproxy.stthomas.edu/login?url=http://search.ebscohost.com.ezproxy.stthomas.edu/login.aspx?direct=true&db=swh&AN=78447&site=ehost-live>
- Fook, J. (2002). *Social work: Critical theory and practice*. London: Sage Publications.
- Fralich-Lesarre, N.M. (2012). Beyond cultural competency: understanding contemporary problems with historical roots using an African-centered/Black psychology lens. (Doctoral dissertation). *ProQuest LLC*. Retrieved from <http://pqdtopen.proquest.com/pqdtopen/doc/1103346420.html?FMT=AI> (3539696).
- Glover, T. M. (2012). *Exploration of culturally proficient mental health assessment and treatment practices of Black/African American clients*. (Order No. 3528626, Oregon State University). *ProQuest Dissertations and Theses*, 285. Retrieved from <http://search.proquest.com/docview/1048218940?accountid=14756>. (1048218940).
- Hall, C. A. (2008). *The African American experience of overcoming barriers and participating in therapy*. (Order No. 3333569, Syracuse University). *ProQuest Dissertations and Theses*, 228. Retrieved from <http://search.proquest.com/docview/304389145?accountid=26879>. (304389145).

- Hines-Martin, V., Malone, M., Kim, S., & Brown-Piper, A. (2003). Barriers to mental health care access in an African American population. *Issues in Mental Health Nursing, 24*(3), 237. Retrieved from <http://ezproxy.stthomas.edu/login?url=http://search.ebscohost.com.ezproxy.stthomas.edu/login.aspx?direct=true&db=keh&AN=9303876&site=ehost-live>
- Holden, K. B. & Xanthos, C. (2009). Holden, K. B. & Xanthos, C. (2009). Disadvantages in mental health care among African Americans. *Journal of Health Care for the Poor and Underserved 20*(2A), 17-23. *The Johns Hopkins University Press*. Retrieved September 29, 2013, from Project MUSE Database., 20(2A), 17.
- Keyes, C. L. M., & Ryff, C. D. (2003). Somatization and mental health: A comparative study of the idiom of distress hypothesis. *Social Science & Medicine, 57*(10), 1833-1845. doi:[http://dx.doi.org.ezproxy.stthomas.edu/10.1016/S0277-9536\(03\)00017-0](http://dx.doi.org.ezproxy.stthomas.edu/10.1016/S0277-9536(03)00017-0)
- Knapp, M., Funk, M., Curran, C., Prince, M., Grigg, M., & McDaid, D. (2006). Economic barriers to better mental health practice and policy. *Health Policy and Planning, 21*(3), 157.
- Lonnie R. Snowden, P. D., Ray Catalano, P. D., & Martha Shumway, P. D. (2009). Disproportionate use of psychiatric emergency services by African Americans. *Psychiatric Services, 60*(12), 1664. doi:10.1176/appi.ps.60.12.1664
- Mason, P. L. (2013). *Encyclopedia of race and racism*. Detroit: Macmillan Reference USA.
- Metzl, J. M. (2009). *The protest psychosis: How schizophrenia became a black disease*.

Boston, MA, US: Beacon Press.

Miller, M. J. (2010). *Ancestral indigenous culture and historical-transgenerational trauma: Rethinking schizophrenia in African Americans*. (Order No. 3419756, Institute of Transpersonal Psychology). *ProQuest Dissertations and Theses*, 201. Retrieved from <http://search.proquest.com/docview/756862781?accountid=26879>. (756862781).

Mohamed, R. A. (1980). *Race, sex, and therapist's perceived competence*. *ProQuest Information & Learning*, 41(6), 2337.

Monette, D.R., Sullivan, T.J., & Dejong, C.R. (2011). *Applied Social Research*. Belmont, CA: Brooks/Cole.

National Association of Social Workers. (2008). *Code of ethics of the National Association of Social Workers*. Washington, DC. NASW Press.

National Institute on Mental Health. (2009). *African American community mental health*. Retrieved from http://www.nami.org/Content/ContentGroups/Multicultural_Support1/Fact_Sheets1/AfricanAmerican_MentalHealth_FactSheet_2009.pdf

Okeke, A. (2013). "A Culture of Stigma: Black Women and Mental Health"
Undergraduate Research Awards. Paper 13.
http://scholarworks.gsu.edu/univ_lib_ura/13

Ojanuga, D. (1993). *The medical ethics of the father of gynecology, dr. j. Marion Sims*.

- Journal of Medical Ethics*, 19 (1), 28-31. Retrieved from <http://www.jstor.org.ezproxy.stthomas.edu/stable/27717250?seq=>
- Perdue, B., Singley, D., & Jackson, C. (2006). Assessing spirituality in mentally ill African Americans. *ABNF Journal*, 17(2), 78-81. Retrieved from <http://ezproxy.stthomas.edu/login?url=http://search.ebscohost.com.ezproxy.stthomas.edu/login.aspx?direct=true&db=keh&AN=21836448&site=ehost-live>
- Possaint, A. F. & Alexander, A. (2000). Lay my burden down: suicide and mental health crises among African Americans. Boston, Massachusetts: Beacon Press Books.
- Ridley, C. R. (1984). Clinical treatment of the nondisclosing black client: A therapeutic paradox. *American Psychologist*, 39(11), 1234-1244. doi:10.1037/0003-066X.39.11.1234
- Rosa, M. E. (1996). *Cognitive-behavioral processes that affect substance-dependent schizophrenic african-american males' completion of inpatient treatment*. ProQuest Information & Learning). 57(6), 3659.
- Schnittker, J. (2003). Misgivings of medicine?: African Americans' skepticism of psychiatric medication. *American Sociological Association*, 44(4), 506-524.
- Sheafor, B. W., & Horejsi, C. R. (2006, 2012). Techniques and guidelines for social work practice. Upper Saddle River, NJ: Pearson Allyn & Bacon.
- Snowden, L. R. (2001). Barriers to effective mental health services for African Americans. *Mental Health Services Research*, 3 (4), 2-7. Retrieved from <http://link.springer.com/article/10.1023/A:1013172913880>

- Snowden, L. R. (2003). Bias in mental health assessment and intervention: theory and evidence. *American Journal of Public Health, 93*(2), 239-243. Retrieved from http://fc9en6ys2q.search.serialssolutions.com/?ctx_ver=Z39.88-2004&ctx_enc=info%3Aofi%2Fenc%3AUTF
- Sotero, M. M. (2006). A conceptual model of historical trauma: implications for public health practice and research. *Journal of Health Disparities Research and Practice, 1*(1), pp. 93-108. Retrieved from <http://ssrn.com/abstract=1350062>.
- Stewart, P. E. (2004). Afrocentric approaches to working with African American families. *Families in Society, 85* (2), 221-228. Retrieved from <http://yt2js5ru4z.scholar.serialssolutions.com/?sid=google&aunit=PE&auplast=Stewart&atitle=Afrocentric+approaches+to+working+with+African+American+families&id=doi:10.1606/1044-3894.326&title=Families+in+society&volume=85&issue=2&date=2004&spage=221&issn=1044-3894>
- Substance Abuse and Mental Health Services Administration (SAMHSA). (n.d.). How being trauma informed improves criminal justice system: responses. Retrieved from <http://gainscenter.samhsa.gov/cms-assets/documents/93078-842830.historical-trauma.pdf>
- Trierweiler, S. J., Muroff, J. R., Jackson, J. S., Neighbors, H. W., & Munday, C. (2005). Clinical race, situational attributes, and diagnoses of mood versus schizophrenia disorders. *Cultural Diversity and Ethnic Minority Psychology, 11*(4), 351-364.

Trierweiler, S., Neighbors, H. W., Munday, C., Thompson, E., Jackson, J., & Binion, V.

(2006). Differences in patterns of symptom attribution in diagnosing schizophrenia between African American and non-African American clinicians. *American Journal of Orthopsychiatry*, 76, 154-160.

Thompson, A. O. (2008). The African maafa: The impact of the transatlantic slave trade on

western Africa. *The Journal of Caribbean History*, 42(1), 67-VIII. Retrieved from

<http://search.proquest.com.ezproxy.stthomas.edu/docview/211116014?accountid=14756>

U.S. Census Bureau. (2007, January 12). *State & county Quick facts: Allegany County,*

N.Y. Retrieved January 25, 2007, from <http://quickfacts.census.gov>.

Van Wormer, K., Sudduth, C., & Jackson, D.W, III. (2011). What we can learn of

resilience from older african-american women: Interviews with women who

worked as maids in the deep south. *Journal of Human Behavior in the Social*

Environment, 21(4), 410-422. Retrieved from

<http://ezproxy.stthomas.edu/login?url=http://search.ebscohost.com.ezproxy.stthomas.edu/login.aspx?direct=true&db=swh&AN=81751&site=ehost-live>

Wallace, V. E. (2012). Differences in mental health resiliency in young African

Americans. *American Journal of Health Studies*, 27 (1), 8-12. Retrieved from

<http://web.ebscohost.com.pearl.stkate.edu/ehost/pdfviewer/pdfviewer?vid=5&sid=9c9cc420-4d87-440e-a234-35bc3c66eb54%40sessionmgr4004&hid=4206>

Ward, E. C. (2005). Keeping it real: A grounded theory study of African American clients

engaging in counseling at a community mental health agency. *Journal of Counseling Psychology*, 52(4), 471-481. doi:10.1037/0022-0167.52.4.471

Ward, E. C., Clark, L., & Heidrich, S. (2009). African American women's beliefs, coping behaviors, and barriers to seeking mental health services. *National Institutes of Health*, 19 (11), 1598-1601. doi: [10.1177/1049732309350686](https://doi.org/10.1177/1049732309350686)

Whaley, A. L. (1998). Cross-cultural perspective on paranoia: A focus on the black American experience. *Psychiatric Quarterly*, 69(4), 325. Retrieved from <http://ezproxy.stthomas.edu/login?url=http://search.ebscohost.com.ezproxy.stthomas.edu/login.aspx?direct=true&db=keh&AN=11303801&site=ehost-live>

Whaley, A. L. (2001). Cultural mistrust: An important psychological construct for diagnosis and treatment of African Americans. *Professional Psychology: Research and Practice*, 32(6), 555-562. doi:10.1037/0735-7028.32.6.555

Whaley, A. L. (2002). Confluent paranoia in African American psychiatric patients: An empirical study of ridley's typology. *Journal of Abnormal Psychology*, 111(4), 568-577. doi:10.1037/0021-843X.111.4.568

Whaley, A. L., & Hall, B. N. (2009). Effects of cultural themes in psychotic symptoms on the diagnosis of schizophrenia in African Americans. *Mental Health, Religion & Culture*, 12(5), 457-471. doi:10.1080/13674670902758273

Wiener, H. W., Klei, L., Irvin, M. D., Perry, R. T., Aliyu, M. H., Allen, T. B., Go, R. C. P. (2009). Linkage analysis of schizophrenia in african-american families. *Schizophrenia Research*, 109(1-3), 70-79.

doi:<http://dx.doi.org.ezproxy.stthomas.edu/10.1016/j.schres.2009.02.007>

Wilkins, E., Whiting, J., Watson, M., Russon, J., & Moncrief, A. (2013). Residual effects of slavery: What clinicians need to know. *Contemporary Family Therapy: An International Journal*, 35(1), 14-28. doi:10.1007/s10591-012-9219-1

Williams, D. R., & Williams-Morris, R. (2000). Racism and mental health: The African American experience. *Ethnicity and Health*, 5(3/4), 243. Retrieved from <http://search.proquest.com.ezproxy.stthomas.edu/docview/217054191?accountid=14756>

Williams-Washington, K. N. (2009, Feb 2009). Do African Americans suffer from historical trauma? *Take Pride! Community Magazine*. Retrieved from <http://search.proquest.com.ezproxy.stthomas.edu/docview/229292935?accountid=14756>